

Specialty Brick



Brick Tile



Serra Brick - 2 7/8" x 9 3/4" (82003)



Cabrillo Brick - 2 7/8" x 9 3/4" (82000)



Dias Brick - 2 7/8" x 9 3/4" (82002)



Grego Brick - 2 7/8" x 9 3/4" (82001)





Pictured: Top: Grego Brick - 2 3/8" x 9 1/8" (82001), Bottom: Dias Brick - 2 3/8" x 9 1/8" (82002)



Cover Image: Serra Brick - 2 3/8" x 9 3/4" (82003)

Back Image: Cabrillo Brick - 2 3/8" x 9 3/4" (82000)

Please Note:

All product shots are artistic interpretations of actual product. Due to the nature of the printing process, we recommend obtaining physical samples of product for actual color representation.

Specialty Brick Collection is designed to have the shading and natural characteristics associated with brick. We strongly recommend laying out and blending the tiles prior to installation.

Designed & imported by Jeffrey Court in California.

PRODUCT TESTING

Properties	ASTM	Minimum	Results
Thickness	C-499		± 5%
Bond Strength	C-482	≥ 50 psi (0.34 Mpa)	Conforms
Water Absorption	C-373		P1 (up to 0.5%)
Crazing Resistance	C-424		Resists
Thermal Shock	C-484		Resists
Chemical Resistance	C-650		UGL, UA, ULA • GL, GA, GLA
Break Strength	C-648		≥ 1.40kN
Resistance to Freeze / Thaw Cycling	C-1026		Resists

* Complete test results available on [Jeffrey Court.com/FAQ's](http://JeffreyCourt.com/FAQ's)

620 Parkridge Avenue
Norco, California 92860

P | 951.340.3383
F | 951.340.2429

www.JeffreyCourt.com

